

INDEX MAPS.

T. 14 N. R. 7 E. 2nd Mer.

| | | | | | | | | | | | | |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|
| | 256 | | 256 | | 256 | | 255 | | 255 | | 254 | |
| 258 | 6 | 279 | 5 | 275 | 4 | 271 | 3 | 267 | 2 | 262 | 1 | 254 |
| | 281 | | 279 | | 274 | | 270 | | 266 | | 262 | |
| 258 | 7 | 278 | 8 | 274 | 9 | 270 | 10 | 266 | 11 | 261 | 12 | 254 |
| | 281 | | 278 | | 274 | | 270 | | 265 | | 261 | |
| 258 | 18 | 277 | 17 | 273 | 16 | 269 | 15 | 265 | 14 | 261 | 13 | 253 |
| | 280 | | 277 | | 273 | | 269 | | 264 | | 260 | |
| 257 | 19 | 277 | 20 | 273 | 21 | 268 | 22 | 264 | 23 | 260 | 24 | 253 |
| | 280 | | 276 | | 272 | | 268 | | 264 | | 260 | |
| 257 | 30 | 276 | 29 | 272 | 28 | 268 | 27 | 263 | 26 | 259 | 25 | 253 |
| | 279 | | 275 | | 271 | | 267 | | 263 | | 259 | |
| 256 | 31 | 275 | 32 | 271 | 33 | 267 | 34 | 263 | 35 | 259 | 36 | 252 |
| | 254 | | 252 | | 251 | | 251 | | 251 | | 251 | |

T. 15 N. R. 7 E. 2nd Mer.

| | | | | | | | | | | | | |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|
| | 288 | | 288 | | 288 | | 287 | | 287 | | 287 | |
| 290 | 6 | 310 | 5 | 306 | 4 | 302 | 3 | 298 | 2 | 294 | 1 | 286 |
| | 312 | | 310 | | 306 | | 302 | | 298 | | 294 | |
| 290 | 7 | 310 | 8 | 306 | 9 | 302 | 10 | 298 | 11 | 294 | 12 | 286 |
| | 312 | | 309 | | 305 | | 301 | | 297 | | 293 | |
| 290 | 18 | 309 | 17 | 305 | 16 | 301 | 15 | 297 | 14 | 293 | 13 | 286 |
| | 311 | | 308 | | 304 | | 300 | | 297 | | 293 | |
| 289 | 19 | 308 | 20 | 304 | 21 | 300 | 22 | 296 | 23 | 292 | 24 | 285 |
| | 311 | | 308 | | 304 | | 300 | | 296 | | 292 | |
| 289 | 30 | 307 | 29 | 303 | 28 | 299 | 27 | 296 | 26 | 292 | 25 | 285 |
| | 311 | | 307 | | 303 | | 299 | | 295 | | 291 | |
| 289 | 31 | 309 | 32 | 303 | 33 | 299 | 34 | 295 | 35 | 291 | 36 | 283 |
| | 284 | | 284 | | 284 | | 283 | | 283 | | 283 | |

(P) The figures on the lines refer to the page.

Township N. 15. North, Range N. 7 East 2. Mer. Ind.^a 283

South Boundary. var. 6° 45' E.

West On S. boundary of Sec. 36

32.00 a Hackberry 18 in. dia.

40.00 Set of Sec. post, from which
a Lycamore 12 in. dia. var. N 63° E 30 lb. dist. of
a Do. 20 " " " N 17° E 39 " "

* This post stands on the bank of a creek 100 lb. wide S. N

58.40 a Span. Oak 50 in. dia.

60.00 a Creek 30 lb. wide Course S.

68.57 a Brook 15 " " " N. E.

80.00 Set post Cor. to Sec. 35 & 36, from which
an Oak 7 in. dia. var. N 85° E 19 lb. dist. of
an Elm 5 " " " S 39° W 5 " "

Over low rich land, timber Hackberry, Sugar &c.
underg^d Spruce

West On S. boundary of Sec. 35

40.00 Set of Sec. post, from which
an Elm 18 in. dia. var. N 88° E 49 lb. dist. of
an Oak 14 " " " S 30° W 36 " "

41.60 a Brook 15 lb. wide Course S.

52.83 a Beech 24 in. dia.

80.00 Set post Cor. to Sec. 34 & 35, from which
a Beech 13 in. dia. var. N 71° E 19 lb. dist. of
a Sugar 8 " " " S 18° W 9 " "
Over good farming land, timber Beech, Ash
Sugar &c. underg^d Spruce

West On S. boundary of Sec. 34

22.60 a Beech 14 in. dia.

40.00 Set of Sec. post from which
a Beech 10 in. dia. var. N 87° W 20 lb. dist. of
a Sugar 14 " " " N 87° W 26 " "

59.32 a Hickory 18 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 12 in. dia. var. N 87° W 31 lb. dist. of

284

N 15 N R 7 E. 2^d. Mer. Indiana

ch. 11th

a Beech 12 mi. dist. bear N 87 W 26th. dist. of
Over level land, timber Beech, Oak, Hickory &c.

West On S. boundary of Sec. 33

31.45 an Ash 24 mi. dist.

40.00 let of Sec. post, from which

a Beech — in. dist. bear S 34 E 8th. dist. of

a Do. 14 " " " N 15 W 16 "

80.00 let post cor. to Sec. 32 & 33, from which

a Beech 11 mi. dist. bear N 61 E 32th. dist. of

a Do. 10 " " " S 82 W 30 " "

Over good farming land, timber Beech, Ash,
Poplar &c.

West On S. boundary of Sec. 32

18.50 a Oak 20th. wide corner S.

21.50 a Do. 70 " " " S.

40.00 let of Sec. post, from which

a Sugar 18 mi. dist. bear N 43 E 2th. dist. of

a Do. 34 " " " West 5 " "

68.53 Bel —

80.00 let post Cor. to Sec. 31 & 32, from which

a Beech 11 mi. dist. bear N 80 E 34th. dist. of

a Do. 12 " " " S 32 W 38 " "

Land timber &c. same as on last mile

West On S. boundary of Sec. 31

27.26 a Beech 18 mi. dist.

40.00 let of Sec. post, from which

a Poplar 30 mi. dist. bear N 62 E 4th. dist. of

a Lym 10 " " " S 62 W 4 " "

60.27 an Elm 14 " " "

77.00 Intersected N & S. line at the Township
Corner. (Description of land &c omitted)

July 27th 1819

285

T^h 5 N R 7 E 2^d. Mer. Indiana

ch^l. lth

East Boundary

var. 7. 15. E.

North On E. boundary of Sec. 36

33.10 a Hackberry 15 in. dia.

34.50 to E. Fork of White river 170 lth. wide S. 70 W

40.00 Set of Sec. post, from which
an Ash 12 in. dia. bray N 39 W 56 lth. dist. of
a Do. 10 " " " N 46 E 21

60.94 a W. Oak 50 " "

80.00 Set post Cor. to Sec. 25 of 36, from which
a Hackberry 8 in. dia. bray N 3 E 24 lth. dist. of
a Buckeye 7 " " " S 39 W 35 " "

This (m^ore rich Bottom land, Elm, Hackberry
Ash, Buckeye &c. underg^d. Spruce, pawpaw &c.

North On E. boundary of Sec. 25

27.31 a Sugar 24 in. dia.

40.00 Set of Sec. post, from which
a Blue Ash 21 in. dia. bray S 57 W 14 lth. dist. of
a Beech 20 " " " S 39 E 38 " "

51.82 a W. Ash 24 " "

80.00 Set post Cor. to Sec. 24 of 25, from which
a Beech 21 in. dia. bray N 85 E 33 lth. dist. of
a Do. 8 " " " N 59 W 22 " "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 24

24.07 a Beech 21 in. dia.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bray S 39 W 5 lth. dist. of
a Poplar 20 " " " S 39 E 16 " "

58.41 a Beech 25 " "

67.50 a Branch 10 lth. wide Comau E.

80.00 Set post Cor. to Sec. 13 of 24, from which
a Beech 20 in. dia. bray S 20 E 14 lth. dist. of
an Ash 48 " " " N 19 E 8 " "
Land, timber &c. Same as last. July 26. 1819

T¹⁵ N. R⁷ E. 2.^d Mer. Indianach. 2^d 1/2

North On E. boundary of Sec. 13

5.00 a Branch 8th. wide Course E.33.80 an Elm 25 in. dia^r.40.00 Set q^r. Sec. post, from which
a Beech 18 in. dia^r. bray S 41 E 13th. dist. of
a do. 14 " " " N 2 E 14 " "47.50 a Branch 20th. wide Course S. E.73.03 a Beech 27 in. dia^r.80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 16 in. dia^r. bray S 47 E 11th. dist. of
a do. 18 " " " S 63 W 10 " "
Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 12

8.20 an Elm 50 in. dia^r.40.00 Set q^r. Sec. post, from which
an Elm 18 in. dia^r. bray S 64 E 11th. dist. of
a Beech 8 " " " S 64 W 32 " "

62.62 a W. Oak 22 " "

80.00 Set post Cor. to Sec. 11 of 12, from which
an Elm 10 in. dia^r. bray S 80 E 6th. dist. of
an Elm 18 " " " S 13 W 30 " "
Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 1

8.26 a W. Oak 30 in. dia^r.

35.03 a Beech 33 " "

40.00 Set q^r. Sec. post from which
a Beech 16 in. dia^r. bray S 61 E 3th. dist. of
a do. 7 " " " S 67 W 30 " "

41.88 a Beech 36 " "

74.36 intersected the parallel between Townships
15 of 16 N. & fell 14.97th. E. of temp^y. post -
Set post Cor. to Township N. 15 of 16 North
Ranger 7 of 8 East, from which
a Beech 18 in. dia^r. bray S 60 W 28th. dist. of

287

T5 N R7 E 2^d Mer. Indiana

ch. P. 1/4

a Beech 16 in. dia. bray N 56 E, 26 lns. dist. of
land level to vert, Sugar, Beech, Ash, Elm,
Poplar &c. undng. Spruce &c

North Boundary var. 6° 45' E.

West On S. boundary of Sec. 36, T5 N R7 E.
26.64 a Beech 18 in. dia.
40.00 Set of Sec. post, from which
a Beech 12 in. dia. bray N 41 W 6 lns. dist. of
a do. 18 " " " N 15 W 20 " "
76.80 a W. Oak 31 " "
80.00 Set post cor. to Sec. 35 & 36, T5 N R7 E, from which
a Beech 25 in. dia. bray North 18 lns. dist. of
a do. 14 " " " N 25 E 28 " "
Level 2^d rate land, Beech, Sugar, W. Ash, Elm,
Dogwood, W. Oak &c. undng. Spruce

West On S. boundary of Sec. 35, T5 N R7 E.
19.28 a Beech 27 in. dia.
31.00 a Branch 20 in. dia. br. wide C. S. W
40.00 Set of Sec. post, from which
a Beech 18 in. dia. bray N 63 E 20 lns. dist. of
a Sugar 21 " " " N 61 W 26 " "
67.92 a W. Ash 28 " "
80.00 Set post cor. to Sec. 34 & 35, T5 N R7 E, from which
a Beech 9 in. dia. bray N 65 E 21 lns. dist. of
a do. 20 " " " South 11 " "
good farming land, timber Beech, Sugar, W. Ash
Poplar, Elm &c. undng. Spruce, persimmon &c.

West On S. boundary of Sec. 34, T5 N R7 E.
11.69 a Beech 27 in. dia.
40.00 Set of Sec. post, from which
a W. Oak 36 in. dia. bray N 23 E 5 lns. dist. of
a do. 20 " " " N 31 W 23 " "
58.70 a Hickory 20 " "

T15 N. R7 E. 2^d. Mer. Indiana
ch. 2^d by
70.00 an Indian road N of S.

80.00 Let post Cor. to Sec. 33 & 34, T16 N. R7 E. from which
an Ash 14 in. dia. bear S 62 E 18 lns. dist. of
an Elm 10 " " " N 48 W 10 " "
Sand & timber fee. Same as on the last mile

Met On S. boundary of Sec. 33, T16 N. R7 E
19.16 a W. Oak 20 in. dia.

40.00 Let q. Sec. post, from which
a Buckeye 7 in. dia. bear S 74 E. 9 lns. dist. of
an Elm 14 " " " N 43 W 5 " "

44.64 a W. Ash 22 " "

47.00 a Creek 50 lns. wide Course S 20 W

80.00 Let post Cor. to Sec. 32 & 33, T16 N. R7 E. from which
a Beech 20 in. dia. bear S 27 E 11 lns. dist. of
a Do. 12 " " " N 40 W 17 " "
Sand & timber fee. Same as on the last mile

Met On S. boundary of Sec. 32, T16 N. R7 E.
1.19 a Beech 21 in. dia.

7.00 a Creek 30 lns. wide Course S. E.

40.00 Let quarter Sec. post, from which
a Beech 7 in. dia. bear N 30 E 4 lns. dist. of
a Do. 8 " " " N E 24 " "

57.51 a Beech 20 " "

80.00 Let post Cor. to Sec. 31 & 32, T16 N. R7 E. from which
a Beech 22 in. dia. bear N 23 W 10 lns. dist. of
a Do. 15 " " " S 65 E 24 " "
Sand & timber fee. Same as on the last mile

Met On S. boundary of Sec. 31, T16 N. R7 E.
17.31 a Beech 21 in. dia.

40.00 Let q. Sec. post, from which
a Beech 10 in. dia. bear N 31 E 11 lns. dist. of
a Do. 9 " " " S 75 W 15 " "

42.23 a Beech 27 " "

289

T15 N R7 E. 2^d. Mer. Indiana

ch. P. M.
75.58 Intersected the N & S. line at a post corner
of Township 15 of 16 N, Range 6 of 7 East
Good farming land, timber as on last mile

West Boundary. var. 6° 30' E.

North On E. boundary of Sec. 36, T15 N. R6 E
27.27 a W. Ash 28 in. dia.
40.00 Set q. Sec. post, from which
an Ash 16 in. dia. bear N 43° W 15 in. dist. of
an Elm 28 " " " N 43° E 28 " "
62.29 a W. Oak 50 " "
80.00 Set post Cor. to Sec. 25 of 36, T15 N. R6 E, from which
a Beech 14 in. dia. bear N 60° W 5 in. dist. of
a No. 36 " " " N 41° E 25 " "
Land level 2^d rate, Beech, Sugar, W. Ash
Elm, W. Oak, Poplar &c. underg^d. Spruce,
pawpaw &c. July 28th 1819

North On E. boundary of Sec. 25, T15 N. R6 E.
7.00 a Branch 20 in. wide Comes S. W.
32.76 an Elm 36 in. dia.
40.00 Set q. Sec. post, from which
an Elm 7 in. dia. bear N 89° W 5 in. dist. of
a Dogwood 6 " " " N 74° E 14 " "
46.30 a Beech 21 " "
78.10 a Beech 24 " "
80.00 Set post Cor. to Sec. 24 of 25, T15 N. R6 E, from which
a Beech 10 in. dia. bear N 18° W 4 1/2 in. dist. of
a No. 9 " " " N 66° E 38 " "
Good farming land, timber, Beech, Sugar, W.
Ash, Elm, W. Oak, Poplar &c. underg^d. Spruce
pawpaw &c.

North On E. boundary of Sec. 24, T15 N. R6 E.
35.14 a Beech 30 in. dia.
40.00 Set q. Sec. post, from which

290

T15 N R7 E. 2^d. Mer. Indiana

ch. lth

- a Beech 16 in. diam. bran N 88 W 12 lth. dist. of
 a do. 7 " " " N 49 E 26 " "
 64.79 a do. 28 " " "
 80.00 Set post Cor. to Sec. 13 & 24, T15 N. R6 E, from which
 a Beech 14 in. diam. bran N 38 E 9 lth. dist. of
 a Hickory 15 " " " N 45 E 12 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 13, T15 N, R6 E.

38.52 a Beech 20 in. diam.

- 40.00 Set q. Sec. post, from which
 a Beech 12 in. diam. bran N 5 W 9 lth. dist. of
 a do. 16 " " " N 13 E 32 " "
 74.00 a Branch 20 lth. wide Corner S.W.
 80.00 Set post Cor. to Sec. 12 & 13, T15 N, R6 E, from which
 a Beech 8 in. diam. bran N 37 W 5 lth. dist. of
 a White Ash 14 " " " N 35 E 18 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T15 N, R6 E

6.41 a White Ash 33 lth. dist.

- 40.00 Set q. Sec. post, from which
 a Beech 10 in. diam. bran N 71 W 7 lth. dist. of
 a do. 6 " " " N 32 E 8 " "
 47.99 a do. 18 " " "
 80.00 Set post Cor. to Sec. 1 & 12, T15 N, R6 E, from which
 a Beech 20 in. diam. bran N 15 W 27 lth. dist. of
 a do. 31 " " " N 30 E 16 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T15 N, R6 E

6.79 a P. Oak 48 in. diam.

- 15.00 a Branch 15 lth. wide Corner S.W.
 40.00 Set q. Sec. post, from which
 a Beech 16 in. diam. bran N 37 W 24 lth. dist. of
 a do. 6 " " " N 67 E 6 " "

291

S 15 N. R 7 E. 2^d. Mer. Indiana

ch^d M^h

60.03 a W. Ash 25 mi. dist.

66.52 Intersected E & M line 442 lths. East
of post Cor. to Town 15 & 16 N, Range 6 & 7 E
at post at intersection, from which
a Beech 12 mi. dist. bear N 68 E 31 lths. dist. of
a, do. 12 " " " 147 N 28 " "
Land level 2^d rate, Beech, Sugar, W. Blue
Ash, Elm, Poplar, Oak, Hickory &c. underg.
Spice & pawpaw &c.

July 29th 1819

Surveyed by

John M. Donald,

Deputy Surveyor

Subdivision.

North Between Secs. 35 & 36, S 15 N. R 7 E

20.50 a Beech 11 mi. dist.

40.00 at q. Sec. post, from which
a Buckeye 5 mi. dist. bear S 50 N 15 lths. dist. of
a Beech 12 " " " N. E 28 " "

59.80 an Ash 8 " " "

80.00 at post Cor. to Secs. 25, 26, 35 & 36, from which
a W. Ash 30 mi. dist. bear West 14 lths. dist. of
a Beech 11 " " " East 38 " "
Land 1st rate, timber Ash, Elm, Buckeye,
Hackberry, Sugar &c. underg. Spice &c.

East On Land 9^m. between Secs. 25 & 36

40.00 at temp. q. Sec. post

79.60 Intersected E. boundary 74 lths. N. of post
Land timber &c. same as on the last mile

West Connected between Secs. 25 & 36

18.60 a Beech 20 mi. dist.

39.80 at q. Sec. post at average dist. from which
an Ash 20 mi. dist. bear S 60 E 13 lths. dist. of

392

S 15 N 7 E 2nd Mer. Indianach. 1st 1st

a Beech 10 mi. dist. bear N 40 E 42nd dist. of
 59.50 a Buckeye 10 " " "
 79.60 to Sec. Corner

North Between Sec. 25 & 26

20.00 a Beech 12 mi. dist.

40.00 Set of Sec. post, from which
 a Beech 9 mi. dist. bear N 10 E 17th dist. of
 a do. 15 " " " N 46 W 25 " "

59.00 a Beech 18 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
 a Beech 9 mi. dist. bear N 30 W 8th dist. of
 an Ash 24 " " " S. E. 9 " "
 Sand hills, 2nd rate, timber Ash, Beech,
 Oak, Elm &c. underg^d. Spruce &c.

East On Land^m between Sec. 24 & 2540.00 Set temp^y. of Sec. post

79.84 Intersected the N & S line 13th km. S. of post
 Sand hills, 2nd rate, Beech, Oak, Elm &c.
 underg^d. Spruce &c.

West Corridor between Sec. 24 & 25

23.00 a Beech 9 mi. dist.

39.92 Set of Sec. post, from which (at average dist.)
 a Beech 10 mi. dist. bear S 55 W 10th dist. of
 a do. 11 " " " N 15 W 21 " "

59.50 a do. 8 " "

79.84 to Sec. Corner.

North Between Sec. 23 & 24

19.00 a Pin Oak 15 mi. dist.

40.00 Set of Sec. post, from which
 a Sugar 12 mi. dist. bear S 35 W 7th dist. of
 a Beech 15 " " " N 25 E 20 " "

64.00 an Oak 30 " "

293

S 15 N R 7 E. 2^d Mer. Indiana

ch^d. lth
 80.00 Set post Cor. to Sec. ^{13, 14} 13 & 14, from which
 a Beech 16 m. dist. bear West 9 lth. dist. of
 a Do. 10 " " " S 50 E 10 "
 Land level 3^d rate, timber Beech, Ash,
 Elm &c. underg^d. Spruce &c.

East On Range between Sec. 13 & 24

40.00 Set temp^y. of Sec. post
 80.00 Intersected the N & S. line 46 lth. N. of post
 Land level 3^d rate, timber, Beech Oak & Ash
 underg^d. Spruce

West Connected between Sec. 13 & 24

19.50 a Sugar 15 m. dist.
 40.00 Set of Sec. post at average dist. from which
 a Beech 7 m. dist. bear N 50 E 18 lth. dist. of
 a Do. 15 " " " S 20 W 25 " "
 60.50 a Beech 14 " "
 80.00 to Sec. Corner, Aug. 29th 1820. A. Wallace

North Between Sec. 13 & 14

21.00 a Poplar 28 m. dist.
 40.00 Set of Sec. post, from which
 a Beech 9 m. dist. bear South 6 lth. dist. of
 a Do. 12 " " " N 8 W 25 " "
 60.10 a Sugar 12 " "
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 14 m. dist. bear S 65 E 14 lth. dist. of
 a Do. 6 " " " N 12 W 17 " "
 Land level 3^d rate, timber, Beech, Ash, Oak
 Sugar &c. underg^d. Spruce

East On Range between Sec. 12 & 13

40.00 Set temp^y. of Sec. post
 79.93 Intersected the N & S. line 26 lth. N. of post
 Land level 3^d rate, timber, Beech, Ash, Oak

294 T5. N. R7 E. 2^d. Mer. Indiana
ch. 1st 1/4
Elm &c. underg^d. Spruce

West Connected between Sec. 12 & 13

18.00 a W. Elm 16 mi. dist.

39.96 at gr. Sec. post, at average dist. of
a Beech 15 mi. dist. from N. E. 1/4 1/4 mi. dist. of
a do 10 " " " N 80 W 35 " "

60.00 a Beech 8 " "

79.93 to Sec. Corner.

North Between Sec. 11 & 12

16.00 an Oak 36 mi. dist.

40.00 at gr. Sec. post, from which
a Dogwood 6 mi. dist. from East 1/4 1/4 mi. dist. of
a Beech 6 " " " North 20 " "

56.50 a do 15 " "

80.00 at post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 5 mi. dist. from West 1/4 1/4 mi. dist. of
an Ash 11 " " " N 65 E 4 " "

Sand level 3^d rate, timber Beech, Oak
&c. underg^d. Spruce

East On Rand^m. between Sec. 1 & 12

40.00 at temp^d. gr. Sec. post

80.12 intersected E. boundary 2 1/4 mi. S. of post
Sand, timber &c. same as on the last mile

West Connected between Sec. 13 & 12

20.37 a Beech 8 mi. dist.

40.06 at gr. Sec. post at average dist. from which
a Beech 24 mi. dist. from N. E. 1/4 1/4 mi. dist. of
a do. 17 " " " S 52 W 14 " "

60.65 a Beech 30 " "

80.12 to Sec. Corner

North Between Sec. 1 & 2, T5. N. R7 E

N 5 N Range 7 E. 2nd Mer. Indiana 295

ch. 1/2 m.

- 19.40 an Ash 10 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 9 in. dia. bran West 13 1/2 m. dist. of
 an Ash 16 " " " N 15 E 15 " "
 64.00 a Beech 16 " "
 76.28 Intersected the N. Boundary 39 1/2 m. E. of post
 Set post Cor. to Sec. 1 of 2, from which
 a W. Oak 16 in. dia. bran South 10 1/2 m. dist. of
 a Sugar 9 " " " N 18 W 12 "
 Sand level 2nd rate, timber, Beech, Ash, Sug.
 &c. under the Spruce. &c. Aug. 30. 1890

North Between Sec. 34 & 35

- 20.12 an Elm 20 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 7 in. dia. bran S 48 W 16 1/2 m. dist. of
 a Do. 16 " " " N 35 E 8 " "
 59.86 a Do. 12 " "
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 16 in. dia. bran S 12 E 18 1/2 m. dist. of
 an Elm 6 " " " N 25 W 25 "
 Sand timber &c. same as on the last mile

East On Land^m between Sec. 26 & 35

- 40.00 Set temp. q. Sec. post
 80.30 Intersected the North & S. line 112 1/2 m. N. of post
 Sand hilly, timber Beech, Ash, Oak &c. undg. Spruce

West Connected between Sec. 26 & 35

- 22.25 a Hickory 15 in. dia.
 40.15 Set q. Sec. post, from which
 a Beech 7 in. dia. bran S 5 W 28 1/2 m. dist. of
 a Do. 4 " " " N 10 W 20 " "
 60.30 an Oak 30 " "
 80.30 to Section Corner.

296

T¹⁵ N. V. E. 2nd Mer. Indianach² lthNorth Between Sec^s. 26 & 2716.50 an Oak 30 in. dia^r.40.00 at q^r. Sec. post, from which
a Beech 20 in. dia^r. bear N 52° W 12 lth. dist. of
a Do. 7 " " " S 80° E 20 " "

64.75 at Beech 8 " "

80.00 at post Cor. to Sec^s. 22, 23, 26 & 27 from which
an Ironwood 6 in. dia^r. bear S. E. 17 lth. dist. of
a Beech 7 " " " S 60° W 18 " "
Sand, hilly 3rd rate, timber Beech, Oak,
Oak, Elm, &c. mendingth. Spruce &c.East On Roadth Between Sec^s. 23 & 2640.00 at temp^y. q^r. Sec. post80.50 intersected the N & S line 10 lth. N. of post
Sand 3rd rate, timber Oak, Sugar, Beech
Elm &c. mendingth. Spruce &c.West Corrected between Sec^s. 23 & 2621.20 a Sugar 15 in. dia^r.40.25 at q^r. Sec. post at average dist. from which
a Beech 10 in. dia^r. bear North 3 lth. dist. of
a W. Oak 50 " " " S 30° E 9 " "

59.50 a Beech 18 " "

80.50 to Sec. Corner.

North Between Sec^s. 22 & 2334.00 a Beech 9 in. dia^r.40.00 at q^r. Sec. post, from which
a Beech 11 in. dia^r. bear South 16 lth. dist. of
a Do. 12 " " " N 85° W 14 " "

60.00 a Beech 10 " "

80.00 at post Cor. to Sec^s. 14, 15, 22 & 23, from which
a Beech 7 in. dia^r. bear West 11 lth. dist. of
an Ash 5 " " " N 75° E 28 " "
Sand level 3rd rate, timber Beech Oak &c.

297

T 15 N R 7 E. 2nd. Mer. Indiana

Ch. 2nd lth

East On Rand^m. between Sec. 14 & 23

40.00 Set temp^t. q^r. Sec. post

80.60 Intersected the N & S. line at the post

Sand level 3rd rate, timber Ash, Beech, Oak &c.
underg^t. Spruce &c.

West Connected between Sec. 14 & 23

20.85 at Beech 11 mi. dist.

40.30 Set q^r. Sec. post at average dist. from which
a Beech 16 mi. dist. by N 45 E 27 " "

a Do. 14 " " " N 75 E 27 " "

60.61 an Ash 18 " "

80.60 to Sec. Corner

North Between Sec. 14 & 15

21.58 at Beech 10 mi. dist.

40.00 Set q^r. Sec. post, from which
a Beech 7 mi. dist. by East 5 lth. dist. &
a Do. 3 " " " S. 11 12 " "

58.80 a W. Oak 60 " "

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
a Hickory 15 mi. dist. by West 12 lth. dist. &
a Beech 12 " " " N 40 E 14 " "

Sand & timber &c. same as on the last mile

East On Rand^m. between Sec. 11 & 14

40.00 Set temp^t. q^r. Sec. post

80.80 Intersected the N & S. line 35 lth. S. of post
Sand & timber &c. same as on the last mile

West Connected between Sec. 11 & 14

23.65 a Hickory 16 mi. dist.

40.40 Set q^r. Sec. post, at average dist. from which
a Beech 12 mi. dist. by South 10 lth. dist. &
a Do. 4 " " " N 30 W 35 " "

61.20 an Oak 20 " "

298

S 15 N. R 7 E. 2^d Mer. Indiana
ch^d. l^y
80.80 to Section Corner

North Between Sec. 10 & 11

19.10 a Beech 15 mi. dist.

40.00 Set of Sec. post. from which
a Beech 7 mi. dist. by N 10 E 4 l^y. dist. of
a do. 10 " " " S 76 W 30. " "

65.70 a do. 7 " "

80.00 Set post. Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 10 mi. dist. by N 30 W 22 l^y. dist. of
a do. 6 " " " S 20 E 14 " "
Land 3^d rate, timber Beech, Ash, Oak &c.
underg^d. Spruce &c

East On Rand^m. between Sec. 2 & 11

40.00 Set temp^y. of Sec. post

80.04 Intersected the N & S line 34 l^y. N. of post
Land timber &c. Same as on the last mile

West Connected between Sec. 2 & 11

19.80 a Spruce 30 mi. dist.

40.02 Set of Sec. post. at average dist. from which
a Beech 7 mi. dist. by N 40 W 10 l^y. dist. of
an Elm 16 " " " S. E. 15 " "

60.65 a Beech 9 " "

80.04 to Sec. Corner

North Between Sec. 2 & 3

22.40 a Beech 10 mi. dist.

40.00 Set of Sec. post. from which
a Sugar 15 mi. dist. by South 16 l^y. dist. of
a do. 7 " " " S 50 E 8 " "

62.40 a Hickory 15 " "

74.32 Intersected the N. Boundary 45 l^y. E. of post
Set post Cor. to Sec. 2 & 3, from which
a Beech 9 mi. dist. by N 70 W 40 l^y. dist. of

299

T5. N. R. & E. 2^d. Mer. Indiana

ch. 2th

at Beech 10 mi. dia^r. beam N 68 E. 20 lms. dist.
Land hilly 2^d. rate, timber Beech, Ash, Elm
&c. undergth. Spruce. Sept. 1st. 1820

North Between Sec^s. 33 & 34

26.80 an Elm 15 mi. dia^r.

40.00 at q^r. Sec. post, from which
a Beech 11 mi. dia^r. beam West 15 lms. dist. of
a do. 17 " " " East 5 " "

63.50 a W. Oak 24 " "

80.00 at post Cor. to Sec^s. 27, 28, 33 & 34, from which
a Sugar 16 mi. dia^r. beam South 15 lms. dist. of a
Hickory 12 " " " North 20 " "
Land level 3^d. rate, timber Beech, Ash, Sugar
Elm, Oak, Hickory &c. undergth. Spruce

East On Rand^m. between Sec^s. 27 & 34

40.00 at temp^y. q^r. Sec. post,

80.30 intersected the N & S line 36 lms. S. of post
Land hilly 3^d. rate timber Beech, Ash,
Oak, Sugar &c. undergth. Spruce &c.

West Connected between Sec^s. 27 & 34

21.30 a Beech 7 mi. dia^r.

40.15 at q^r. Sec. post, at average dist. from which
a Beech 5 mi. dia^r. beam N 10 E 15 lms. dist. of
a Sugar 7 " " " N 7 E 10 " "

60.20 a Beech 10 " "

80.30 to Sec. Corner.

North Between Sec^s. 27 & 28

24.60 a Beech 24 mi. dia^r.

40.00 at q^r. Sec. post, from which
a Beech 7 mi. dia^r. beam South 2 lms. dist. of
a do. 7 " " " N. E. 18 " "

59.00 a Beech 12 " "

300) T^h 5th N R 7 E. 2^d. Mer. Indiana

ch² 1/2
80.00 Let post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 6 in. dia. bray N.E. 3/4 m. dist. &
a Do. 6 " " " S 38° W 1/2 " "
Land level 3^d. rate, timber Beech, Ash
Sugar, Cherry, Oak &c. undergth. Spruce &c.

East On Rand^m. between Sec. 22 & 27

40.00 Let temp^y. q^r. Sec. post

79.90 Intersected the N & S line 14 m. S. of post
Land hilly 3^d. rate, timber Beech, Ash, Oak
&c. undergth. Spruce &c.

West Connected between Sec. 22 & 27

20.46 a Beech 15 in. dia.

39.95 Let q^r. Sec. post, At average dist. from which
an Ash 9 in. dia. bray South 15/4 m. dist. &
a Swamp Ash 22 " " " North 18 " "

60.00 a Beech 12 " "

79.90 to Sec. Corner.

North Between Sec. 21 & 22

21.50 a Beech 10 in. dia.

40.00 Let q^r. Sec. post, from which
an Ash 14 in. dia. bray West 14 m. dist. &
a Gum 16 " " " N 55° E 35 " "

61.60 an Elm 20 " "

80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 6 in. dia. bray N 10° E 35 m. dist. &
a Sugar 16 " " " S 35° W 25 " "
Level 3^d. rate, timber, Ash, Beech, Oak
Elm &c. undergth. Spruce

East On Rand^m. between Sec. 15 & 22

40.00 Let temp^y. q^r. Sec. post

79.92 Intersected the N & S line 4 m. S. of post
Land hilly 3^d. rate, timber Beech, Oak, Oak,

301

N 5 N E 2^d Mer. Indiana

Ch. P. 1/2¹ Elm &c. underg. ¹/₂ Spice &c.

West Corrected between Sect. 15 & 22

19.67 a Beech 22 in. dia.

39.96 Set of Sec. post, at average dist. from which
a Beech 15 in. dia. bears West 5 lbs. dist. &
a No. 16 " " " N 80 E 13 " "

60.90 a No 6 " "

79.92 to Section Corner

North Between Sect. 15 & 16

19.84 a Beech 22 in. dia.

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bears S E 21 lbs. dist. &
a No. 6 " " " N 40 W 15 " "

53.60 a No. 18 " "

80.00 Set post, Cor. to Sect. 9, 10, 15 & 16, from which
a Beech 6 in. dia. bears N 81 W 12 lbs. dist. &
a Buckeye 8 " " " S 78 E 17
Land Hilby 2^d rate Lynn Beech Ash Elm
Sugar Buckeye - undergrowth Spice -

East On Random between Sect. 10 & 15.

40.00 Set temp. of Sec. post

79.86 Intersected the N. & S. line 16 lbs. S. of post.
Land level 1st rate timber Beech, Ash, Oak, Elm,
Sugar - undergrowth Spice

West Corrected between Sect. 10 & 15

19.50 a Hickory 16 in. dia.

39.93 Set of Sec. post, at average dist. from which
a Ironwood 4 in. dia. bears South 2 lbs. dist. &
a No. 4 " " " N 35 E 15 " "

61.30 a Beech 11 " "

79.86 to Section Corner

T5 N R7 E 2nd Mer. Indiana

ch. P. Lk.

North Between Secs. 9 & 10

10.00 a Stream 30 lbs. wide Course S. 40 W.

18.50 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
a Beech 3 in. dia. bears S 30 W 5 lbs. dist. &
a No. 7 " " " N 39 E 19 " "

50.00 a Stream 30 lbs. wide Course S. E.

66.00 an Oak 30 in. dia.

80.00 Set post Cor. to Secs. 3, 4, 9, 10, from which
a Sugar 10 in. dia. bears East 20 lbs. dist. &
a Walnut 30 " " " S 80 W 14 " "
Land Hilly 2nd rate timber Beech, Ash, Oak,
undergrowth Spice &c.

East On Random between Secs. 3 & 10.

40.00 Set temp. q. Sec. post.

80.33 Intersected the N. & S. line 15 lbs. S. of post
Land timber &c. Same as last mile

West Corrected between Secs. 3 & 10.

20.00 a Beech 11 in. dia.

40.16 Set q. Sec. post, at average dist. from which
a Plum 5 in. dia. bears S 80 W 17 lbs. dist. &
a No. 4 " " " N 40 E 5 " "

60.40 a Sugar 5 " "

80.33 To Section Corner

North Between Secs. 3 & 4

20.75 a Beech 9 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 8 in. dia. bears S 75 E 15 lbs. dist. &
a Beech 3 " " " S 40 W 7 " "

58.38 a No. 12 " "

73.75 Intersected the N. boundary 38 lbs. E. of post.
Set post Cor. to Secs. 3 & 4 from which
an Ash 11 in. dia. bears S 55 E 5 lbs. dist. &

303

T5 N R7 E 2^d Mer. Indiana

chth

a Walnut 7 in. dia. bears N 5 E 12 hrs. dist. &
Land level 2^d rate Beech, Oak, Ash Sugar
undergrowth Spice &c. Sept. 4th 1820.

North Between Secs. 32 & 33.

23.50 a Hickory 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 15 in. dia. bears S 20 W 15 hrs. dist. &
a No. 14 " " " N 15 W 17 " "

59.00 a No. 14 " "

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which
an Ash 8 in. dia. bears S 35 E 9 hrs. dist. &
a Buckeye 4 " " " N 50 W 15 " "
Land Hilly 2^d rate timber Beech, Ash, Oak, Elm
&c. undergrowth Spice —

East On Random between Secs. 28 & 33

40.00 Set temp. of Sec. post.

80.00 Intersected the N. & S. line 96 hrs. N. of post.
Land level 3^d rate timber Beech Ash &c.
undergrowth Spice &c.

West Corrected between Secs. 28 & 33.

20.00 a Hickory 20 in. dia.

40.00 Set of Sec. post, at average dist. from which
a Beech 12 in. dia. bears N 5 E 20 hrs. dist. &
a No. 7 " " " S 20 W 17 " "

61.50 a Sugar 12 " "

80.00 to Section Corner

North Between Secs. 28 & 29.

23.50 a Beech 15 in. dia.

40.00 Set of Sec. post, from which
an Ash 14 in. dia. bears South 5 hrs. dist. &
a Beech 8 " " " N 25 E 18 " "

56.50 a No. 15 " "

N 5 N 12 E 2^d Mer. Indiana

ch. l. by

65.00 a Stream 50 lbs. wide Course S. 15 W.

80.00 Set post Cor. to Secs. 20, 21, 28, & 29, from which
a Beech 9 in. dia. bears N 75 W 18 lbs. dist. &
a Beech 6 " " " S 38 W 30 " "
Land level 2^d rate timber Beech Ash &c.
undergrowth Spice &c.

East On Random between Secs. 21 & 28

40.00 a Stream 50 lbs. wide Course S. 20 E.

40.00 Set temp. of Sec. post.

79.86 Intersected the N. & S. line 20 lbs. N. of post.

Land Hilly 3^d rate timber Beech, Sugar, Ash,
undergrowth Spice &c.

West Corrected between Secs. 21 & 28

20.86 a Beech 10 in. dia.

39.93 Set of Sec. post, at average dist. from which
a Beech 9 in. dia. bears N 5 W 12 lbs. dist. &
a No. 18 " " " S 20 E 30 " "

57.74 an Ash 8 " "

79.86 To Section Corner

North Between Secs. 20 & 21.

10.00 a Stream 50 lbs. wide Course S.

27.00 an Elm 28 in. dia.

40.00 Set of Sec. post, from which
a Beech 30 in. dia. bears S 70 W 25 lbs. dist. &
a No. 15 " " " N 35 E 22 " "

66.31 an Ash 30 " "

80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which
a Ironwood 5 in. dia. bears East 12 lbs. dist. &
a No. 4 " " " N 40 W 10 " "
Land Hilly 2^d rate timber Ash, Oak, Beech
Sugar &c. undergrowth Spice -

East On Random between Secs. 16 & 21.

305

T5 N. R. & E. 2^d. Mer. Indiana

ch. 1/2

- 15.00 a Stream 50 lbs. wide Course S. 10 W.
 40.00 Set temp. of Sec. post.
 79.76 Intersected the N & S. line 25 lbs. N. of post.
 Land timber &c. Same as on last mile

- West Corrected between Sect. 16 & 21.
 19.50 a Beech 15 in. dia.
 39.88 Set of Sec. post. at average dist. from which
 a Beech 6 in. dia. bears S 60 E 5 lbs. dist. &
 a Do. 6 " " " S W 8 " "
 58.00 a Beech 8 " "
 79.76 to Section Corner

- North Between Sect. 16 & 17.
 20.00 a Beech 14 in. dia.
 40.00 Set of Sec. post. from which
 a Beech 12 in. dia. bears S 30 W 25 lbs. dist. &
 a Do. 10 " " " N 10 W 18 " "
 62.00 a Sugar 10
 80.00 Set post Cor. to Sect. 8, 9, 16 & 17. from which
 a Beech 10 in. dia. bears S 35 W 10 lbs. dist. &
 a Ironwood 2 " " " North 10 " "
 Land timber &c. Same as on the last. mile

- East On Random between Sect. 9 & 16
 40.00 Set temp. of Sec. post.
 50.00 a Stream 50 lbs. wide Course S.
 80.17 Intersected the N. & S. line 57 lbs. N. of post.
 Land timber &c. Same as on the last. mile

- West Corrected between Sect. 9 & 16.
 20.67 an Ash 20 in. dia.
 40.08 Set of Sec. post. at average dist. from which
 an Ironwood 4 in. dia. bears N 40 E 20 lbs. dist. &
 a Sugar 10 " " " S 55 W 17 " "
 59.50 a Beech 18 " "

T5 N R7 E, 2^d. Mer. Indiana

ch Pkly

80.17 to Section Corner

North Between Secs. 8 & 9.

19.00 a Red Elm 24 in. dia.

40.00 Set of Sec. post, from which

a Beech 10 in. dia. bears S 50 W 18 lbs. dist. &

an Ash 20 " " " S 80 E 25 " "

62.25 an Ironwood 5 " "

80.00 Set post Cor. to Secs. 4, 5, 8 & 9. from which

a W. Oak 12 in. dia. bears N 20 W 14 lbs. dist. &

an Ironwood 8 " " " S 15 W 26 " "

Land timber &c. Same as last mile

East On Random between Secs. 4 & 9

23.50 a Stream 50 lbs. wide Course S.

40.00 Set temp. of Sec. post.

80.20 Intersected the N. & S. line 58 lbs. S. of post.

Land Hilly 2^d. rate timber Beech Sugar Ash
Elm &c. Undergrowth Spice.

West Corrected between Secs. 4 & 9

21.40 a Hickory 12 in. dia.

40.10 Set of Sec. post, at average dist. from which

a Sugar 9 in. dia. bears N 10 E 25 lbs. dist. &

a Beech 7 " " " S 30 E 18 " "

61.00 a W. Oak 18 " "

80.20 to Section Corner

North Between Secs. 4 & 5

20.35 a Beech 14 in. dia.

40.00 Set of Sec. post, from which

a Beech 8 in. dia. bears North 6 lbs. dist. &

a No. 6 " " " S 20 E 32 " "

63.00 a Stream 50 lbs. wide Course S. 40 E.

68.50 a Beech 14 in. dia.

70.76 Intersected the N. boundary at the post

307

T5 N E7 E. 2nd Mer. Indiana

Ch. Lk.

No bearing trees given.

Land timber &c. Same as last mile

Sept. 6th 1890

North Between Sec. 31 & 32.

29.00 a W. Oak 30 in. dia.

40.00 Set of. Sec. post. from which
a Ironwood 4 in. dia. bears S 50 E 16 lh. dist. &
a Sugar 12 " " " North 30 " "

59.50 a Beech 18 " "

80.00 Set post Cor. to Sec. 29. 30 31 & 32, from which

a Beech 6 in. dia. bears S 18 W 15 lh. dist. &

a Do. 12 " " " N 23 E 27

Land level 3rd rate timber Beech, Ash, Elm, &c
Undergrowth Spice &c.

East On Random between Sec. 29 & 32

40.00 Set temp. of. Sec. post.

50.70 a Stream 50 lh. wide Course S. 20 E.

79.83 Intersected the N. & S. line 31 lh. N. of post.

Land Hilly 2nd rate timber Beech Ash &c.

Undergrowth Spice &c.

West Connected between Sec. 29. 32.

18.00 a Beech 16 in. dia.

39.91 Set of. Sec. post. at average dist. from which

a Beech 11 in. dia. bears S 10 E 27 lh. dist. &

a Do. 5 " " " N 85 E 25 " "

60.78 a Do. 15 " "

79.83 to Section Corner

North Between Sec. 29 & 30

23.00 a Beech 18 in. dia.

40.00 Set of. Sec. post. from which

a Beech 7 in. dia. bears North 25 lh. dist. &

a W. Elm 24 " " " South 4 " "

T5 N R7 E. 2nd. Mer. Indiana

ch. P. 1/4
 58.00 a Beech 20 in. dia.
 80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which
 a Beech 14 in. dia. bears S 55 W 14 lbs. dist. &
 a No. 22 " " " N-E 20 " "
 Land level 2nd rate timber Ash Sugar Beech &c.
 Undergrowth Spice &c.

East On Pradoun between Sect. 20 & 29
 40.00 Set temp. of. Sec. post.
 79.89 Intersected the N. & S. line 29 lbs. N. of post.
 Land Hilly 2nd rate timber Beech Elm Ash
 Sugar &c. Undergrowth Spice

West Corrected between Sect. 20 & 29.
 25.00 a Beech 12 in. dia.
 39.94 Set of. Sec. post at average dist. from which
 a Beech 10 in. dia. bears N 5 E 15 lbs. dist. &
 a No. 16 " " " S 20 E 16 " "
 62.50 a Sugar 10 " "
 79.89 to Section Corner

North Between Sect. 19 & 20
 19.06 a Beech 11 in. dia.
 40.00 Set of. Sec. post, from which
 a Beech 8 in. dia. bears N-W 5 lbs. dist. &
 a No. 10 " " " S 25 W 21 " "
 60.20 a No. 16 " "
 80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which
 a Sugar 14 in. dia. bears S-W 7 lbs. dist. &
 a Beech 15 " " " N 10 E 25 " "
 Land Hilly 2nd rate timber Oak Sugar Beech Elm
 &c. Undergrowth Spice &c.

East On Pradoun between Sect. 17 & 20
 40.00 Set temp. of. Sec. post.
 80.06 Intersected the N. & S. line 1.00 lbs. N. of post

309

S 15 N 1 E 2^d Mer. Indiana

ch. l. h. Land timber &c. Same as on the last mile

West Connected between Sec. 17 & 20

21.50 a W. Ash 16 in. dia.

40.03 Set of Sec. post. at average dist. from which
a Beech 24 in. dia. bears N 14 W 14 lbs. dist. &
a No. 8 " " " S 50 E 13 " "

59.70 a No. 10 " "

80.06 to Section Corner. Sept. 7th 1820.

North Between Sec. 17 & 18

27.70 a Beech 12 in. dia.

40.00 Set of Sec. post. from which
a Beech 13 in. dia. bears N. E. 22 lbs. dist. &
and iron? 4 " " " S 30 W 30 " "

61.50 a Beech 11 " "

80.00 Set post Cor. to Sec. 7. 8. 17 & 18. from which
a Hickory 12 in. dia. bears S 85 E 25 lbs. dist. &
a W. Oak 18 " " " S 25 W 21 " "
Land level 3rd rate timber Beech Ash Oak &c.
undergrowth Spice &c.

East On Prandon between Sec. 8 & 17

40.00 Set temp. of Sec. post

79.97 Intersected the N. & S. line 15 lbs. N. of post.
Land level 3rd rate timber Sugar Beech Ash &c.
undergrowth Spice &c.

West Connected between Sec. 8 & 17

21.00 a Beech 10 in. dia.

39.98 Set of Sec. post. at average dist. from which
a Beech 4 in. dia. bears N 50 E 15 lbs. dist. &
a No. 4 " " " N 70 W 6 " "

59.50 a No. 11 " "

79.97 to Section Corner

15 N. 127 E. 2nd Mer. Indiana

ch. 1st 1/2North Between Sec^s. 7 & 8

21.25 a Poplar 22 in. dia.

40.00 Set of. Sec. post, from which

a Sugar 8 in. dia. bears S 80 W 3 lbs. dist. 4

a Beech 4 " " " S E 7 " "

78.80 a No. 13 " " "

80.00 Set post Cor. to Sec^s. 5, 6, 7 & 8, from which

a W. Ash 16 in. dia. bears N 80 E 18 lbs. dist. 4

a Beech 11 " " " S 20 W 11 " "

Land level 3rd rate timber Beech Ash Poplar
Sugar &c. undergrowth Spice &c.East On Random between Sec^s. 5 & 840.00 Set temp^y. of. Sec. post.

80.18 Intersected the N. & S. line 5 lbs. N. of post.

Land timber &c. same as on the last mile.

West Connected between Sec^s. 5 & 8

21.00 a Beech 10 in. dia.

40.09 Set of. Sec. post, at average dist. from which

a Beech 6 in. dia. bears South 6 lbs. dist. 4

a No. 7 " " " N 5 W 24 " "

61.50 a W. Ash 24 " "

80.18 to Section Corner

North Between Sec^s. 5 & 6.

22.00 a Sugar 11 in. dia.

40.00 Set of. Sec. post, from which

a Sup. Ash 12 in. dia. bears N 70 W 10 lbs. dist. 4

a Beech 10 " " " S 70 E 22 " "

55.00 a No. 12 " " "

68.39 Intersected the N. boundary 42 lbs. W. of post

Set post Cor. to Sec^s. 5 & 6. from which

a Beech 10 in. dia. bears West 4 lbs. dist. 4

a No. 11 " " " S 55 E 16 " "

Land level 2nd rate timber Beech, Ash, Oak

311

T5 N R7 E. 2^d Mer. Indiana

ch. P. 11/4

Sugar &c. undergrowth Spice &c. Sept. 8th 1820.

West Between Sec^s. 30 & 31

20.18 a Beech 16 in. dia.

40.00 Set of. Sec. post, from which
a Beech 7 in. dia. bears West 7 lks. dist. &
a Sugar 12 " " " N 80 E 10 " "

60.47 a Beech 15 " "

76.38 Intersected the W. boundary 19 lks. S. of post.

Set post Cor. to Sec^s. 30 & 31, from which
a Beech 12 in. dia. bears N 15 W 23 lks. dist. &

a No. 17 " " " S 48 E 17 " "

Land level 3^d rate timber Beech, Ash, Oak,
Sugar &c. undergrowth Spice &c.

West Between Sec^s. 19 & 30

23.00 a Beech 14 in. dia.

40.00 Set of. Sec. post, from which
a Beech 5 in. dia. bears N 80 E 4 lks. dist. &
a No. 20 " " " S 70 W 26 " "

72.00 a No. 18 " "

76.04 Intersected the W. boundary 7 lks. N. of post

Set post Cor. to Sec^s. 19 & 30, from which
a Beech 12 in. dia. bears N 55 E 25 lks. dist. &

a No. 9 " " " S 75 E 35 " "

Land level 2^d rate timber Beech Ash Elm &c.
undergrowth Spice &c.

West Between Sec^s. 18 & 19.

27.75 a Beech 14 in. dia.

40.00 Set of. Sec. post, from which
a Beech 10 in. dia. bears S 30 W 10 lks. dist. &
a No. 9 " " " N 80 E 12 " "

57.00 a No. 26 " "

76.06 Intersected the W. boundary 20 lks. N. of post.

Set post Cor. to Sec^s. 18 & 19, from which

T5 N R7 E. 2^d Mer. Indiana

ch. lks

at Hickory 12 in. dia. bears S 42 W 10 lks. dist. &
 a Beech 13 " " " N 5 W 16 "
 Land Hilly 3^d rate timber Beech Ash, Oak &
 Sugar Undergrowth Spice &c.

West Between Sec. 7 & 18

20.75 a Beech 20 in dia.

40.00 Set q. Sec. post. from which

a Beech 8 in. dia. bears S 20 W 25 lks. dist. &

a No. 17 " " " N 10 E 30 " "

58.10 a W. Ash 20 " "

75.67 Intersected the West boundary 6 lks. N. of post.

Set post Cor. to Sec. 7 & 18, from which

a Beech 10 in. dia. bears S 74 E 23 lks. dist. &

a No. 6 " " " N 25 W 18 " "

Land level 3^d rate timber Beech Ash Sugar &c.
 Undergrowth Spice &c.

West Between Sec. 6 & 7

23.50 a W. Oak 20 in. dia.

40.00 Set q. Sec. post. from which

a Beech 20 in. dia. bears S 30 E 8 lks. dist. &

a W. Ash 24 " " " N 10 W 18 " "

60.85 an Elm 12 " "

75.41 Intersected the West boundary 56 lks. S. of post

Set post Corner to Sec. 6 & 7, from which

a Poplar 17 in. dia. bears S 20 W 22 lks. dist. &

a Beech 20 " " " N 10 W 26 " "

Land level 2^d rate timber Ash, Oak, Sugar,
 Beech &c. Undergrowth Spice &c.September 9th 1820.

Surveyed By
 Andrew Wallace,
 Deputy Surveyor

N^o 15 N. R^o 7 E. 2nd Mer Indiana 313

I Certify that the foregoing transcript of field notes
of Township N^o 15 North, of Range N^o 7 East of 2nd.
Mer. Indiana, has been compared with the original
notes, in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Oct. 10. 1842

William Johnston
Sur. Genl.